Pitney Bowes

DANKA

imageRUNNER™ C4080/C4580/C5185

Powerful Performance.
Uncompromising Quality.
Advanced Document Finishing.

Colour Impact

imageRUNNER
C4080
C4580
C5185

SOLUTIONS

The Color imageRUNNER C4080/C4580/C5185 Series

Unleash power, speed, flexibility, and connectivity in your office

With robust functionality, advanced print engine technology, superior paper-handling, and professional finishing options, the Color imageRUNNER C4080/C4580/C5185 Series models are the ideal multifunction devices for your office.

The Color imageRUNNER C4080/C4580/C5185 delivers output at speeds of up to 51 pages per minute (letter) in monochrome or brilliant colour.* Fast print speeds and warm-up times are achieved through Twin-Belt Fusing Technology. And at true 1200 dpi, every word will appear with absolute clarity with the highly precise four beam laser scanner.

The Color imageRUNNER C4080/C4580 offer a fast and reliable 100-sheet Duplexing Automatic Document Feeder (DADF), enabling you to efficiently scan/copy high-volume documents at up to 70 impressions per minute (ipm) at 300 dpi in black and white and colour. The Color imageRUNNER C5185 includes a 100-sheet DADF that's capable of simultaneously scanning both sides of duplex documents at up to 100 impressions per minute at 300 dpi.

Two versions of the Color imageRUNNER C4080/C4580/C5185 Series are available — an "i" model and a "Base" model. The "i" model, designed for general office environments, is bundled with features providing out-of-the-box business productivity. The "Base" model is highly customizable and offers a selection of options to best fit demanding colour environments.

The Color imageRUNNER C4080/C4580/C5185 Series provides memory capacity of up to 1.5GB, an 80GB hard drive, and MEAP® (Multifunctional Embedded Application Platform) technology for customized workflows. With high-capacity finishing options, professional output is available for any project.

When it comes to connectivity, the Color imageRUNNER C4080/C4580/C5185 Series enables efficient document distribution with Color Universal Send technology. Standard on all models, it provides comprehensive dissemination of information simultaneously to multiple locations across the hall or around the globe.

*See specifications for series print speed variables.

Color imageRUNNER C4080/C4580/C5185 Series Overview

Productivity far beyond the norm

EFFICIENCY
imageCHIP architecture provides increased speed, power and functionality.

HIGH QUALITY AND PRODUCTIVITY
Copy, scan, and print documents faster, and output them with professional finishing options.

SUPERIOR COMMUNICATION
Create and store documents with powerful tools and distribute them easily with Color Universal Send Technology.

INTERNET-READY
Collaborate on your documents via the Internet or browse and print Web content right from the device.

POWERFUL IMAGING
Choose options and software for increased productivity in corporate or professional Colour environments.

USER-FRIENDLY
Easy-to-use colour display panel and interactive help menus for users, and advanced tools for administrators.

SECURITY AND ACCESSIBILITY
Advanced security features protect your data, and accessibility options ensure access to all users.

Function	Color imageRUNNER™ C4080/C4580/C5185	Color imageRUNNER™ C4080i/C4580i/C5185i
Copy	Standard	
Mail Box	Standard	
Print	Optional: UFR II, PCL, Postscript Emulation,** Adobe® Postscript 3™	Standard: UFR II, PCL Optional: Postscript Emulation**
Scan	Standard: Color Network ScanGear	
Color Universal Send	Standard: Color Universal Send	
	Optional: Universal Send PDF Advanced Feature-Set	Standard: Universal Send PDF Advanced Feature-Set
	Optional: Universal Send PDF Security Feature-Set	Standard: Universal Send PDF Security Feature-Set
Super G3 Fax	Optional: Single-Line or Multi-Line	
Web Access	Optional	
MEAP®	Optional	

** Choose one of three print controller options: UFR II/PCL Printer Kit-N1, imagePASS-H1, or ColorPASS-GX100*
*** PS Printer Kit-N1 option requires the UFR II/PCL Printer Kit-N1; also requires 512MB RAM*

imageRUNNER
C4080
C4580
C5185

REVOLUTIONARY EXCELLENCE

imageRUNNER
C4080
C4580
C5185

EFFICIENCY



Finisher-X1 | *Finisher-W1* | *Saddle Finisher-W2* | *Puncher Unit-AH1*



Cassette Feeding Unit-Z1 | *Plain Pedestal-E1* | *Paper Deck-Y1*

The anatomy of an efficient performer

1 Canon imageCHIP System Architecture

- imageCHIP architecture provides more speed and power for greater productivity
- Up to 1.5GB RAM and 80GB HDD
- Dedicated dual processor design
- Mail Box: local archival solution
- Remote UI device management

2 Robust Speed

- Up to 70-ipm high-speed colour and black-and-white scanning
- Optional 100-sheet Duplexing Automatic Feeder
- C4080 - 40 ppm (black and white); 36 ppm (colour); C4580 - 45 ppm (black and white); 40 ppm (colour); C5185 - 51 ppm (black and white or colour)

3 Reliable Consumables and Supplies

- Durable Canon OPC Drum
- Easy-to-replace toner cartridges
- Oil-free color S-toners

4 Advanced Finishing Options

- Three types of finishers
  - Corner, double, saddle-stitch
  - Extensive stacking capacity
- Hole-punching
  - Two or three holes

5 Superior Paper-Handling

- Up to 5000-sheet paper capacity
- 100-sheet Bypass Tray
- Up to 140lb. Index media weights
- Up to 12″ x 18″ media sizes

Accessibility Options

- Voice Guidance Kit
- Remote Operator's Software Kit
- ADF Access Handle
- Braille Label Kit

High quality and production

Uncompromising business performance

imageCHIP System Architecture

Express Copy Screen



Saddle Finisher-W2

New-generation Image Processing

The Color imageRUNNER C4080/C4580/C5185 Series is powered by evolutionary imageCHIP system architecture. This not only enables simultaneous copying, printing, scanning, sending, and faxing, but it will change the way you think about using colour in your office.

Digital Dynamics

Adding digital data to copies and prints is easy and powerful. Create ad hoc watermarks, select preset stamps, add page and copy set numbering, and/or date stamping to any output with control over size, position, colours, and density. You can also embed secure watermarks that appear when copies are made to help prevent security leaks of confidential information.

Secure Watermark

Original document with hidden text and background colour

Hidden text appears on copies that are made

The Perfect Finishing Touches

The Color imageRUNNER C4080/C4580/C5185 Series offers professional finishing options that collate, staple, hole-punch, or saddlestitch to create impressive documents efficiently. And with Automatic Creep Correction, each page in your large booklets will be perfectly positioned.

Complex Jobs Made Simple

The Color imageRUNNER C4080/C4580/C5185 Series makes the production of complicated documents manageable. Combine different sets of documents into one with Job Block Combination. Each set can be configured to run with unique settings, such as paper type, finishing, colour, and more, then reproduced or stored as a new document in a Mail Box.

Brilliant Business Colour

For general office environments, the Color imageRUNNER C4080/C4580/C5185 Series efficiently tackles print tasks for Microsoft® Office applications. It supports Canon's UFR II (Ultra Fast Rendering) and PCL, as well as an option for PostScript 3™ emulation.

Faster Copying

Copy operations are greatly simplified through the choice of two user interfaces. The standard copy display simplifies operations for novice users, while an Express Copy menu provides advanced users quick access to various copying modes on a single screen.

imageRUNNER
C4080
C4580
C5185

UNCOMPROMISED
PERFORMANCE

imageRUNNER
C4080
C4580
C5185

ENHANCED
DISTRIBUTION

Superior communication

Enhance your digital world with Color Universal Send

With Canon's proprietary Universal Send technology, the Color imageRUNNER C4080/C4580/C5185 Series enables you to distribute scanned documents to multiple network destinations—such as e-mail and Internet fax addresses, local Mail Boxes, fax, network folders, and document management systems—in one simple operation. Quickly and easily send documents to user addresses in a local Address Book, look up users from multiple LDAP servers on your network, or manually enter a destination. When Single Sign-On (SSO) or Simple Device Log-in (SDL) authentication modes are used, a new timesaving feature enables you to send documents to yourself in a single click.

Color Universal Send offers powerful options to master creation, distribution, and archiving of your documents. Universal Send PDF Advanced Features (standard on the "i" model) provide additional functionality such as PDF High Compression, Trace & Smooth PDF, and Searchable PDF modes.

PDF High Compression Technology

To reduce network bandwidth requirements when sending colour documents, Canon's proprietary PDF High Compression Mode can significantly reduce the size of PDF files. And with Canon's exclusive Trace & Smooth PDF feature, text in PDF files can be converted to outlines for sharper edges and increased readability. The outline data can also be manipulated in Adobe Illustrator® to create elements for other documents.

Creating searchable PDF documents

After scanning for PDF creation, the text is then embedded within the file for extraction or keyword searches with the Searchable PDF feature. This allows you to easily scan and convert scanned documents into your electronic workflow.

High-volume Fax Capability

Supports the option to add a single- or multi-line Super G3 fax module to further extend the capabilities of Color Universal Send. Incoming faxes can also be automatically routed to other devices, destinations, or users with the Job Forwarding feature for superior workflow management.

Advanced Workgroup Collaboration

Includes internal Mail Boxes for document storage and print-on-demand applications. Documents can be combined and printed as a single job or sent to multiple destinations in a variety of formats. For files that are too large for e-mail or require a large distribution list, the URL Send feature can e-mail a link to notify recipients that they can remotely preview via PC and, if necessary, print from the device.

Desktop Integration

Designed to work seamlessly with Canon's imageWARE Document Manager Personal Version 4 as a total end-to-end document solution. You can capture, archive, retrieve, and manipulate documents within the imageRUNNER devices' Mail Boxes right from your desktop computer, seamlessly integrating your workspace with the device.

imageRUNNER C4080 C4580 C5185



Trace & Smooth PDF



imageWARE Document Manager Personal Version 4



PDF High Compression Mode

Send Main Menu



Universal Send

Desktop Integration

imageRUNNER
C4080
C4580
C5185

INFORMATION SHARING

Internet-ready

Maximize the power of the Web

The Color imageRUNNER C4080/C4580/C5185 Series provides more ways to share information with the world beyond your office than ever before.

Web Browsing And Printing

With the industry's first Web Access Software option, you can browse the Web or corporate intranets directly from the device's colour touch-panel. The Web Access function enables you to print Web pages or PDF files from the Internet or your network, even when you don't have access to a computer.*

Web-based Document Collaboration

Color Universal Send supports the Web-based Distributed Authoring and Versioning (WebDAV) protocol, enabling you to securely send documents to a shared storage service over the Internet. Collaborate on documents with others, whether they are in the office, on the road, or at home for increased productivity.



Mail Box

** When configured on the "Base" model, requires UFR II/PCL Printer Kit-N1 if printing Web pages; requires PS Printer Kit-N1 on "Base" and "i" models if printing PDF files.*



Web Access Software

imageRUNNER
C4080
C4580
C5185

EVOLVING
SOLUTIONS

Scalability

Solutions that evolve with your business

As your business grows, the Color imageRUNNER C4080/C4580/C5185 Series will continue to provide value with features and options designed to extend your capabilities.

Open Platform Integration

With Canon's Java-based MEAP architecture, custom interfaces and applications can run on the Color imageRUNNER C5185 Series' colour touch-panel for seamless integration of your business processes.

Document Archival

Solutions for effective archiving and retrieval of critical business documents and records. Optional imageWARE Document Manager software can efficiently store vast amounts of information in a centralized electronic repository for easy, secure, and effective document management.

Powerful Document Creation

Canon's imageWARE Publishing Manager software option provides powerful desktop tools to produce professional documents through a simple drag-and-drop interface. Documents can contain contents from many different sources and applications and provide access to a number of editing, imposition, and finishing capabilities.



imageWARE Document Manager



eCopy ShareScan OP

imageWARE Publishing Software

imageRUNNER
C4080
C4580
C5185

FLEXIBILITY
AND POWER

Powerful imaging

Flexible colour productivity for your office

Flexible print controller options have been developed for the Color imageRUNNER C4080/C4580/C5185 "Base" model. The ColorPASS-GX100 and imagePASS-H1 controllers increase productivity and colour quality for corporate and professional colour environments.

imagePASS-H1 Controller

The imagePASS-H1 is a high-performance embedded controller designed to handle colour-intensive multi-user environments. Featuring a dedicated Intel® Celeron® M 1.5GHz processor, the imagePASS-H1 provides improved colour matching, genuine Adobe Postscript 3 support, and PCL 5c emulation.

ColorPASS-GX100 Controller

The ColorPASS-GX100 is a powerful external server which caters to graphic-intensive users and production environments. Driven by an Intel Pentium® 4 3.2GHz processor, the ColorPASS-GX100 controller supports demanding colour image and high-volume processing.

Industry-leading Tools

The ColorPASS-GX100 and the imagePASS-H1 are further enhanced by the latest system software 8/8e, which improves overall productivity and functionality. These enhancements provide total control of workflow and image quality on the Color imageRUNNER Series "Base" model – from mastering document imposition to better colour accuracy. Both controllers are Variable Data Printing (VDP) ready, and support a variety of VDP languages including Freeform, Freeform II, and PPML*.



EFI Utility Screen



Impose

imagePASS-H1



Trace & Smooth PDF

Trace & Smooth PDF

PDF High Compression Mode offers Trace & Smooth PDF functionality (standard on the "i" model), which can convert text and line art in scanned documents to scalable artwork (vector graphics data) in PDF format.** The vector graphics are less jagged at the edges and can be manipulated in Adobe Illustrator® to create elements for other documents.

* ColorPASS controller only.
** Results may vary.

imageRUNNER
C4080
C4580
C5185

ColorPASS-GX100
Stand and monitor shown are not included with the purchase of the ColorPASS controller.

INCREASED
PRODUCTIVITY

imageRUNNER
C4080
C4580
C5185

SIMPLICITY
OF USE

User-friendly

Simplicity for users

Facilitates operations with its easy-to-read full-colour touch panel, interactive help menus, insightful documentation and tutorials, and remote operation capabilities. Streamlined administration is achieved through powerful features for user access and privileges, and device management.

Support Tools For Operators

Easy to navigate whether you're a beginner or an advanced user. The Operation Guide provides step-by-step instructions on how to operate the device's main functions. And the [Help] hard key on the device provides instructions and explanations for operation. User tutorials in Macromedia® Flash® format are also available and can be distributed through your network or corporate intranet for smooth deployment.

Remote UI (User Interface)

The Color imageRUNNER C4080/C4580/C5185 Series can be accessed through a Web browser from any computer on the network. The Remote UI utility provides the ability to check the status of the device, track the progress of current jobs, monitor paper and toner levels, administer the Mail Box, and edit the Address Book.


Enter a user name and password and press the [Log In] key.
User Name
Touch the field to enter characters.
Password
Touch the field to enter characters.
Login Destination
Domain_A
Press the ID key after the operation is completed.
Log In
System Monitor

Single Sign-On Log-In Screen



imageWARE Enterprise Management Console

Card Reader



Help Key

...and for administrators

The Color imageRUNNER C4080/C4580/C5185 Series includes features that control user access and privileges to the device, as well as the ability to facilitate the management of one or many devices throughout your enterprise.

Flexible User Administration

Administrators have a choice of methods to control access and privileges to the various Series devices. Authentication schemes include Single Sign-On (SSO) using network accounts, Simple Device Log-In (SDL), and Department ID Mode with optional Control Card/Card Reader system.

Comprehensive Device Management

Canon's imageWARE Enterprise Management Console (EMC) is a Web-based utility that facilitates centralized management of networked devices. Built upon an extensible framework, it enables remote management of device settings, discovery of new devices using automated tasks, and device error notifications via e-mail. Administrators can also easily replicate settings and Address Books across multiple devices through the Device Information Delivery Function (DIDF), as well as push-print drivers to PC-based desktop computers for rapid deployment.

Easy Operation Guide and Tutorial CD

Control Panel

Security and accessibility

Device and data security

The Color imageRUNNER C4080/C4180/C5185 Series includes features to help you guard against unauthorized access to the device and its data. In addition to user-level authentication, it can also restrict access by network port or IP/MAC address. The Encrypted Secured Print feature can encrypt your documents before they are sent over the network and decrypt and print only after the correct password is entered on the device. With the imageRUNNER Security option, data on the device's drive can be secured with 168-bit encryption technology and set to automatically overwrite traces of previously stored data.

Secure digital documents

The Universal Send PDF Security Feature Set provides advanced options to prevent impersonation, unauthorized alteration, or interception of your documents. With Digital Device Signature mode, recipients can be assured of the originating device of documents. You can also protect the contents of your documents with the Encrypted PDF feature, and secure them with a password to restrict access, editing, and printing. The Digital User Signature option enables verification of your identity to recipients by adding your digital certificate to your documents.



Hot Folders

Digital Signature PDF

Accessibility

Easy access for every authorized user of the Color imageRUNNER device. The Remote Operator's Software option provides the capability to operate the device from any networked computer by emulating the device's control panel. Users with visual impairments can use the Voice Guidance option, which provides speech synthesis for programming and job confirmation during the copy process. The Braille Label option improves access to copy and print functions by adding transparent labels to hard keys on the device.



Device Management and Security Overview

imageRUNNER
C4080
C4580
C5185

SECURE DOCUMENTS

Color imageRUNNER C4080/C4580/C5185 specifications

Main Unit

Type:	Color Digital Multifunction Imaging System
Copying Method:	Laser Dry Electrostatic Transfer
Developing System:	Dry Dual Component Developing System
Memory:	Standard 1GB RAM Maximum 1.5GB RAM
Hard Disk Drive:	80GB
Network Interface Connections:	10/100Base-TX (RJ-45)
Other Interface:	USB 2.0 (Device), USB 2.0 (Host)
First-Copy Time:	
C4080/C4580:	9.6 Seconds (Colour) 6.7 Seconds (B/W)
C5185:	8.0 Seconds (Colour) 6.2 Seconds (B/W)
Warm-Up Time:	
C4080/C4580:	5 Minutes after Powering On
C5185:	4 Minutes after Powering On
Copy/Print Speed (B/W, Colour):	
C4080:	40/36 ppm (Letter)
C4580:	45/40 ppm (Letter)
C5185:	51/51 ppm (Letter)
Scan Resolution:	600 dpi x 600 dpi
Copy Resolution:	600 dpi x 600 dpi
Engine Resolution:	1200 dpi x 1200 dpi
Halftone:	256 Gradations (Continuous-Tone)
Paper Sources	
Standard:	Dual 550-Sheet Paper Cassettes 100-Sheet Stack Bypass
Optional:	Dual 550-Sheet Paper Cassettes 2,700-Sheet Paper Deck
Paper Sizes	
Drawers:	12" x 18", 11" x 17", Legal, Letter, Letter-R, Statement-R,
Bypass:	12" x 18", 11" x 17", Legal, Letter, Letter-R, Statement-R, Executive, 12-5/8" x 17-11/16", Irregular size (3-15/16" x 5-7/8" to 12-7/8" x 18") and Envelopes
Acceptable Paper Weight	
Drawers:	17 lb. Bond to 110 lb. Index
Bypass:	17 lb. Bond to 140 lb. Index
Duplexing:	Standard Automatic Trayless Duplexing (Executive to 12" x 18")
Image Reader:	
C4080/C4580:	Colour Image Reader-F1 (Standard)
C5185:	Duplex Colour Image Reader-G1 (Standard)

Acceptable Originals:	Sheet, Book, 3-Dimensional Objects (up to 4.4 lb.)
Max. Original Size:	11" x 17"
Document Feeding Method:	
C4080/C4580:	Duplexing Automatic Document Feeder (Optional)
C5185:	Single Pass Duplexing Automatic Document Feeder (Standard)
Acceptable Originals:	Statement to 11"x 17"
Paper Capacity:	100 Sheets
Acceptable Paper Weight of Originals:	Simplex 11 to 32 lb. Bond (42 to 128 g/m²) Duplex 13 to 32 lb. Bond (50 to 128 g/m²)
Scan Speed:	
C4080/C4580:	70 ipm (300dpi)/51 ipm (600dpi)
C5185:	Duplex 100 ipm (300 dpi)/51 ipm (600 dpi)
Dimensions (H x W x D):	35" x 24-3/8" x 33-1/2"
Weight:	
C4080/4580:	Approx. 295 lb. (134kg)
C5185:	Approx. 309 lb. (140.2kg)
Power Requirements:	
C4080/C4580:	120V AC, 60Hz, 15A
C5185:	120V AC, 60Hz, 20A
Power Consumption:	
C4080/C4580:	1,665W
C5185:	2,100W
Plug:	
C4080/C4580:	NEMA 5-15P
C5185:	NEMA 5-20P
Toner (Estimated Yield):	
C4080/C4580	
Black:	26,000 Images @ 5% Coverage
Colour:	30,000 Images @ 5% Coverage
C5185	
Black:	27,000 Images @ 5% Coverage
Colour:	36,000 Images @ 5% Coverage

Copy Features

Multiple Copies:	1 to 9,999
Max. Copy Reservation:	10 Jobs
Colour Mode:	Auto Colour, Full Colour, Black, Single Colour, Two Colours
Copy Exposure:	Automatic or Manual (9 levels)
Magnification Preset Reduction:	25%, 50%, 64%, 73%, 78%
Preset Enlargement:	121%, 129%, 200%, 400%
Zoom Mode:	25% - 400% (1% increments)

Mail Box Features

Max. Mail Boxes Supported:	100 User Inboxes, 1 Memory RX Inbox, 50 Confidential Fax Inboxes

Scan Feature

Network TWAIN Scan:	Standard
Network Scan Utility:	Color Network ScanGear

Color Universal Send Feature (Standard)

Colour Mode:	Auto Colour Select (Full Colour/Greyscale) Auto Colour Select (Full Colour/B/W) Full Colour, Greyscale, B/W
Address Book Capacity:	Max. 1,800 Destinations (Includes 200 One-Touch Buttons) Max. 5 LDAP Servers
Sending Methods:	E-Mail, I-FAX, SMB, File Server (FTP, IPX, WebDAV), User Inbox Super G3 Fax (Optional)
Communication Protocol File:	FTP (TCP/IP), SMB (TCP/IP), NCP (IPX), WebDAV
E-Mail/I-Fax:	SMTP, POP3, I-FAX (Simple, Full)
Data Format	
File, E-Mail:	TIFF, JPEG, PDF, PDF (Compact)*, PDF (Trace & Smooth)*, PDF (OCR)*, Encrypted PDF**, Digital Signature PDF (Device**, User***)
I-Fax:	
B/W:	TIFF (MH, MR, MMR)
Colour:	TIFF (Profile-C)

Optional Accessories

Super G3 Fax Board-V1/ Super G3 Multi-Line Fax Board-H1

Applicable Line:	Public Switched Telephone Network (PSTN)

Color imageRUNNER C4080/C4580/C5185 specifications

Connection Lines:	One-Line (Super G3 Fax Board-V1), Two-Lines (Super G3 Multi-Line Fax Board-H1)
Sending/Original Size:	Statement to 11" X 17"
Recording/Printing Size:	Statement to 11" X 17"

Color UFR II/PCL Printer Kit-N1 (Standard for C4080i/C4580i/C5185i)

CPU:	Canon Dual Custom Processor (Shared)
Memory:	1GB RAM (Std.), 1.5GB RAM (Max.) (Shared)
Hard Disk Drive:	80GB (Shared)
Supported PDL:	UFR II/PCL 5c
Optional PDL Support:	PostScript 3 Emulation (PS Printer Kit-N1✦)
Printer Drivers	
UFR II:	Windows® (Windows 2000/XP/ Server 2003, Citrix MetaFrame) Macintosh® (OS 10.2.8 or later)
PCL5c:	Windows (Windows 98/Me/ 2000/XP/Server 2003, Citrix MetaFrame)
PS3 (Optional):	Windows (Windows 98/Me/ 2000/XP/Server 2003, Citrix MetaFrame) Macintosh (OS 10.2.8 or later)

imagePASS-H1

Connectable Device:	Color imageRUNNER C4080/C4580/C5185
CPU:	Celeron M 1.5GHz
System:	System 8e
Memory:	256MB (Std.), 512MB (Max.)
Hard Disk Drive:	80GB
Interfaces (to LAN):	10/100/1000Base-T (RJ-45)
Supported PDL:	Adobe® Postscript® 3, PCL 5c
Utility Software:	Remote Scan 5.3 Command WorkStation for Windows Command WorkStation for Mac
Options:	256MB RAM, Secure Erase v1.0, Hot Folders v2.0, Impose v2.6

ColorPASS-GX100

Connectable Device:	Color imageRUNNER C4080/C4580/C5185
CPU:	Intel® Pentium® 4, 3.2GHz
System:	System 8
Memory:	1GB (Std.), 2GB (Max.)
Hard Disk Drive:	160GB
DVD-ROM:	Standard
Interfaces (to LAN):	10/100/1000Base-T (RJ-45)
Supported PDL:	Adobe PostScript 3
Options:	1GB RAM, GA Package, GA Premium, Production Package, Impose v2.6, ACI Kit, Removable HDD

Cassette Feeding Unit-Z1

Paper Sizes:	12" x 18", 11" x 17", Legal, Letter, Letter-R, Statement-R, Executive
Paper Drawers Capacity:	550 Sheets x 2 Cassettes [20 lb. Bond (80g/m²)]
Dimensions (H x W x D):	12-1/4" x 24-3/8" x 27-3/4"

Paper Deck-Y1

Paper Size:	Letter
Paper Deck Capacity:	2,700 Sheets (20 lb. Bond 80g/m²)
Dimensions (H x W x D):	17" x 12-3/4" x 23-1/4"

Finisher-X1

Number of Trays:	1 Tray
Paper Size	
Standard:	12" x 18", 11" x 17", Legal, Letter, Letter-R, Statement-R, Executive
Non-Standard Size:	(3-15/16" x 5-7/8" to 12-7/8" x 18")
Weight:	17 lb. Bond to 140 lb. Index
Paper Capacity Per Tray:	1,000 Sheets (Letter, Statement-R, Executive) 500 Sheets (12" x 18", 11" x 17", Legal, Letter-R)
Paper Capacity of Staple Mode:	1,000 Sheets/30 Sets (Letter, Executive) 500 Sheets/30 Sets (11" x 17", Legal, Letter-R)
Max. Stapling Capacity	
Letter, Executive:	50 Sheets (17 lb. to 20 lb. Bond) 30 Sheets (20 lb. to 28 lb. Bond) 2 Sheets (28lb. Bond to 140lb. Index)
11" x 17", Legal, Letter-R:	30 Sheets (17 lb. to 20 lb. Bond) 20 Sheets (20 lb. to 28 lb. Bond) 2 Sheets (28 lb. Bond to 140 lb. Index)
Staple Mode:	Corner (11" x 17", Legal, Letter, Letter-R, Executive)
Dimensions (H x W x D):	28-5/8" x 16-1/4" x 24"

Finisher-W1/Saddle Finisher-W2

Number of Trays:	3 Trays
Paper Size	
Standard:	12" x 18", 11" x 17", Legal, Letter, Letter-R, Statement-R, Executive
Non-Standard Size:	(3-15/16" x 5-7/8" to 12-7/8" x 18")
Paper Weight:	17 lb. Bond to 140 lb. Index
Paper Capacity Per Tray	
Non-Collating Tray:	250 Sheets (Letter, Statement-R, Executive) 125 Sheets (12" x 18", 11" x 17", Legal, Letter-R)
Upper Tray:	1,300 Sheets (Letter, Statement-R, Executive) 650 Sheets (12" x 18", 11" x 17", Legal, Letter-R)
Lower Tray:	2,450 Sheets (Letter) 1,700 Sheets (Statement-R, Executive) 650 Sheets (12" x 18", 11" x 17", Legal, Letter-R)
Paper Capacity of Staple Mode	
Upper/Lower Tray:	1,300 Sheets/100 Sets (Letter, Executive) 650 Sheets/50 Sets (11" x 17", Legal, Letter-R, Staple with different paper sizes)

Color imageRUNNER C4080/C4580/C5185 specifications

Max. Stapling Capacity	
Letter, Executive:	50 Sheets (17 lb. to 20 lb. Bond) 30 Sheets (20 lb. to 28 lb. Bond) 2 Sheets (28 lb. Bond to 140 lb. Index)
11" x 17", Legal, Letter-R:	30 Sheets (17 lb. to 20 lb. Bond) 20 Sheets (20 lb. to 28 lb. Bond) 2 Sheets (28 lb. Bond to 140 lb. Index)
Staple Mode:	Corner (11" x 17", Legal, Letter, Letter-R, Executive) Double (11" x 17", Legal, Letter, Letter-R, Executive)
Saddle-Stitching†	
Acceptable Paper Sizes:	12" x 18", 11" x 17", Legal, Letter-R
Saddle Stitch Capacity:	15 Sheets (17 lb. to 20 lb. Bond) 10 Sheets (20 lb. to 28 lb. Bond)
Tray Capacity:	25 Sets (1 to 5 Sheets) 15 Sets (6 to 10 Sheets) 10 Sets (11 to 15 Sheets)
Folding:	V-Fold
Dimensions (H x W x D):	46-1/4" x 26-3/4" x 25-7/8"

Puncher Unit-AH1††

Paper Size:	11" x 17", Legal, Letter, Letter-R
Max. Paper Weight:	17 lb. Bond to 140 lb. Index
Punch Type:	3 Holes (Letter, 11" x 17") 2 Holes (Legal, Letter-R)
Punch Waste Tray Capacity:	When approximately 3,000 Sheets of paper have been punched
Dimensions (H x W x D):	32-3/4" x 4-1/4" x 24-1/2"

Other Optional Accessories

- Encrypted Secured Print Software-C1†††
- Barcode Printing Kit-A1†††
- Web Access Software-E1▲
- Universal Send Advanced Feature Set-A1▲▲
- Universal Send PDF Security Feature Set-A1
- Digital User Signature PDF Kit-A1
- Secure Watermark-A1
- Super G3 Fax Board-V1
- Super G3 Multi-Line Fax board-H1
- imageRUNNER 512MB Expansion RAM-C1
- Platen Cover (C4080/C4580)
- imageRUNNER Security Kit-A2■
- Security Expansion Board-E1
- Voice Guidance Kit-A2
- Remote Operator's Software Kit-A2
- Plain Pedestal-E1
- Document Tray-J1
- Copy Tray-M1
- Copy Tray-N1
- Card Reader-D1
- Key Switch Unit-A2
- Braille Label Kit-A1
- ADF Access Handle-A1
- Stamp Unit-A1

* When configured on the C4080/C4580/C5185, requires Universal Send PDF Security Feature Set-A1

** When configured on the C4080/C4580/C5185, requires Universal Send PDF Security Feature Set-A1

*** Requires Digital User Signature Kit-A1

✦ Requires iR 512MB Expansion RAM-C1

† Available with Saddle Finisher-W2 Only

†† Puncher Unit-AH1 can only be installed with either the Finisher-W1 or Saddle Finisher-W2

††† Requires UFR II/PCL Printer Kit-N1

▲ When configured on the C4080/4580/5185, requires UFR II/PCL

▲▲ Printer Kit-N1 if printing Web pages; requires PS Printer Kit-N1 on C4080/C4080i/C4580/C4580i/ C5185/ C5185i if printing PDF files.

■ Standard on C4080i/4580i/5185i Requires Security Expansion Board-E1

Canon

COUNTERFEIT PROTECTION SYSTEM

ENERGY STAR

USEND

Pitney Bowes

DANKA

Pitney Bowes
5500 Explorer Drive
Mississauga, ON L4W 5C7

For more information call:
1-800-672-6937
www.pitneybowes.ca

© 2008 Pitney Bowes Ltd. All rights reserved.
AD950-502C

Helping you optimize your mailstream.

At Pitney Bowes we have a term for the total sum of mail and documents, both traditional and digital, as well as packages that flow across your business and to your customers. We call it the mailstream, and we're in business to help you move your mailstream more efficiently. The people, solutions and software of Pitney Bowes are dedicated to the seamless end-to-end flow of documents you handle every day. No one is better equipped to help you move the critical information your business relies on.

Our commitment to service.

Pitney Bowes is committed to providing our customers with the finest products and solutions backed by the highest quality service and customer care. We have a coast-to-coast network of trained Pitney Bowes service specialists plus a series of advanced customer service solutions to ensure our customers always receive the highest levels of service and support. Ask your Pitney Bowes Sales representative for more information about our President's Guarantee.